

機殼系列

- 高直立式機殼
- 中直立式機殼
- 橫躺式機殼
- BTX機殼
- 其他

電源供應器系列

- Toughpower系列
- PurePower系列
- TR2 Power系列
- Litepower系列
- 其他

水冷式冷卻系統

- DIY 水冷系列
- 多合一水冷系列
- 升級系列

氣冷式冷卻系列

- CPU 散熱器系列
- TMG 散熱器系列
- TR2 散熱器系列
- 晶片組/記憶體/顯示卡
- H.D. 散熱器系列
- Combo 散熱器系列
- Notebook散熱器系列

風扇系列

- LED 風扇
- 可調轉速式 風扇
- Combo
- 標準系列
- UV系列
- Mobile系列
- Slot 風扇

[home](#) > [products](#) > [chassis](#) > [mid tower](#) > [damier](#)

Damier V6000A



V6000A



[Download Now!!](#)

Features

- » Elegant & Exquisite front panel design: front side : Damier stylish motif & 2 Smart Case Fan fan speed control knobs in front panel & flash EL lamp Rear side : Thermaltake aluminum back plate with 7 color flash LED.
- » Retractable foot stands
- » "X" type side panel window

Over View

Features

- V6000+
- V5000A
- V5000+
- V5000D
- V5000C

Specification

Specification

Specification

Specification



儲存設備系列

- 2.5" 解決方案
- 3.5" 解決方案
- 5.25" 解決方案
- LAN / RAID
- 儲存設備配件

附件產品系列

- 鍵盤/滑鼠墊
- 擴充設備
- 散熱膏
- 機殼改裝

- » Side panel security lock & 3-way front panel lock
- » Tt VIP Pack include: Damier series mouse pad, sticker, CD-ROM disc with screen saver and wallpapers.
- » Fan: 90x90x25 mm, 1800rpm, 21dBA, in rear & side door
- » Fan: 80x80x25 mm, 2050rpm, 21dBA, top & front


Chassis Overview



EMI clip



Internal lock for side panel



Ventilation for better HDD cooling



Dual USB2.0, IEEE1394 Firewire, audio & speaker ports



PCI long card bracket



Screw-less PCI fingers, easy to install



Tool-free slider, easy to 5.25 and 3.5 drive bay




Package View

Cooling System



90mm **blue LED cooling fan** for better ventilation, adjustable fan speed control, 1300rpm~3000rpm. (exhaust)



80mm fan dissipates heat from CPU on top of case (exhaust)

Additional side cover with dual 90mm cooling fan:
 >> Up: 90x90x25 mm fan, adjustable fan speed, 1300rpm~3000rpm (intake).
 >> Down: **blue LED cooling fan**, 90x90x25 mm fan, 1800rpm, 21dBA. (intake)



80mm cooling fan with air filter in front (intake)

i 5.25 drive bay functions



- >> 4 channel VR fan speed controllers
- >> Digital LCD monitor with blue back lighting
- >> Auto temperature fan speed display mode & Manual temperature fan speed display mode
- >> 3 channel temperature monitoring system
- >> 3 channel fan speed monitoring system
- >> Alarm function : overheat prevention system
- >> C / F display capability



Extra HDD slot available

i Front Panel Specialty



Thermaltake Damier stylish printing



Thermaltake aluminum back plate with **7 color flash LED**





Front panel 3-way lock



Damier EL lamp with **3-way function inverter (on/off / flash mode / lighting)**



Smart Case Fan fan speed control knobs

Tt VIP Pack:






Damier series mouse pad, sticker, CD-ROM disc with screen saver and wallpapers

Specifications

Detail Specifications

P/N	V6000A	V6000A1	V6420AU	V6420AU1
Case Type	Modern Tower Xaser V Damier			
Side Panel	X type window			
Net Weight	8.3kg (18.3lb)			
Dimension (H*W*D)	490 x 205x 580 mm			
Silent PurePower Supply Option	N/A	N/A	Silent PurePower 420W	Silent PurePower 420W

Cooling System	Top	80x80x25 mm fan, 2050rpm, 21dBA (exhaust)	Top	80x80x25 mm fan, 2050rpm, 21dBA (exhaust)	Top	80x80x25 mm fan, 2050rpm, 21dBA (exhaust)	Top	80x80x25 mm fan, 2050rpm, 21dBA (exhaust)
	Front	80x80x25 mm fan, 2050rpm, 21dBA (intake)	Front	80x80x25 mm fan, 2050rpm, 21dBA (intake)	Front	80x80x25 mm fan, 2050rpm, 21dBA (intake)	Front	80x80x25 mm fan, 2050rpm, 21dBA (intake)
	Side Up	90x90x25mm, speed adjustable fan, 1300rpm~3000rpm (intake)	Side Up	90x90x25mm, speed adjustable fan, 1300rpm~3000rpm (intake)	Side Up	90x90x25mm, speed adjustable fan, 1300rpm~3000rpm (intake)	Side Up	90x90x25mm, speed adjustable fan, 1300rpm~3000rpm (intake)
	Side Down	Blue LED Fan 90x90x25 mm 1800rpm, 21dBA. (intake)	Side Down	BlueSpot LED Fan 90x90x25 mm 1800rpm, 21dBA. (intake)	Side Down	Blue LED Fan 90x90x25 mm 1800rpm, 21dBA. (intake)	Side Down	BlueSpot LED Fan 90x90x25 mm 1800rpm, 21dBA. (intake)
	Rear	Blue LED Fan 90x90x25 mm, speed adjustable fan, 1300rpm~3000rpm (exhaust)	Rear	Blue LED Fan 90x90x25 mm, speed adjustable fan, 1300rpm~3000rpm (exhaust)	Rear	Blue LED Fan 90x90x25 mm, speed adjustable fan, 1300rpm~3000rpm (exhaust)	Rear	Blue LED Fan 90x90x25 mm, speed adjustable fan, 1300rpm~3000rpm (exhaust)
Material	Chassis	1.0 mm All aluminum made						
	Front Door	Aluminum made						
Drive Bays	10							
	External	5 x 5.25", 2 x 3.5"						
	Internal	3 x3.5"						
Color	Silver							
Expansion Slots	7							
Motherboards	Micro ATX, Standard ATX & Extended ATX (Dual CPU)							
USB & 1394 firewire	Dual USB2.0, IEEE1394 Firewire, audio & speaker ports							
Thermal Test	Tambient: 38C , Intel thermal requirement validated							
EL Lamp	Damier EL lamp with 3-way function inverter (on/off / flash mode/ lighting)							
Container Load	 295 pcs / 20' container  626 pcs / 40' container  705 pcs / 40'HQ container							

[GO TO TOP](#)



- * 產品規格若有變動，恕不另行通知。
- * 產品照片僅供參考，可能與實際出貨產品稍有不同。
- * 本網站所提到的產品規格及資訊僅提供參考，一切以購買實物上的標示為主。
- * 如有任何問題，可來電客服專線 0800266818，將有專人為您立即處理。

"Tt", Thermaltake, Thermaltake are trademarks of Thermaltake Technology Co., Ltd.
All other registered trademarks belong to their respective companies.